UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/560,773	12/14/2005	Toshikazu Katsumata	403563/SOGA	5145
	7590 05/12/200 ` & MAYER, LTD	EXAMINER		
700 THIRTEEN	· · · · · · · · · · · · · · · · · · ·	HO, HUY C		
	SUITE 300 WASHINGTON, DC 20005-3960		ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			05/12/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/560,773	KATSUMATA ET AL.			
Office Action Summary	Examiner	Art Unit			
	HUY C. HO	2617			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 14 December 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-9 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-9 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 14 December 2005 is/are Applicant may not request that any objection to the or	r election requirement. r. re: a)⊠ accepted or b)⊡ object drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correcti 11) The oath or declaration is objected to by the Ex					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/14/2005.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/560,773 Page 2

Art Unit: 2617

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beach et al. (2002/0054574) and further in view of Wentink (2003/0053469).

Consider claim 1, (Currently Amended) Beach discloses a wireless LAN communication system using a CSMA method (see the abstract and section [78]), comprising:

a base station (section [10]); and

plural terminals (sections [8]-[10]), the wireless LAN communication 9ystem being characterized in that, wherein the base station comprises:

a data classification means for classifying data to be transmitted to the terminals into audio data and terminal-basis ordinary data and generating downstream data communication traffic information (sections [10], [48]).

a-queuing means for generating an ordinary data transmission queue and an audio data transmission queue by queuing the data classified by the data classification means (sections [49]-[51], [56]-[58]),

a communication quality control parameter setting means for setting communication quality control parameters respectively for the ordinary data transmission queue and the audio data transmission queue (sections [52], [59], [61], [78]),

a transmission and reception portion for transmitting data from the ordinary data transmission queue and from the audio data transmission queue according to the communication quality control parameters at a time of transmission (see [46], [48]-[49]),

a reception data detection means for acquiring upstream communication traffic information from reception data received from each of the terminals (see [46], [48]-[49]), and

a communication quality control parameter control means for controlling parameters in the communication quality control parameter setting means, based on the downstream and upstream communication traffic information (sections [49]-[52], [56]-[58]).

Beach does not specifically show the communication quality control parameters are adjusted, however, it is noticeable that Beach discusses a LAN system using a CSMA technology for allocating prioritized data, where an access point takes into account of different time durations, i.e., the usage of different contention windows CWs, for voice and other data, for monitoring and transmitting information over channels (see section [78]). Wentink discusses a system and method for data transmission with different levels of priorities, where Wentink teaches various QoS parameters being changed, computed and up-dated properly by an access point during a process of allocating resource

Art Unit: 2617

for data transmission with different levels of priorities (see sections [38]-[44]), thus Wentink discloses the communication quality control parameters are adjusted.

Since Beach and Wentink teach system and method for data transmission with different degrees of priorities, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify teachings of Beach and have the communication quality control parameters are adjusted, taught by Wentink, to improve the system discussed by Beach (see sections [1]-[7]).

Consider claim 2, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 1, characterized by further comprising a queuing weighting control means for controlling a weight weighting in queuing performed by the queuing means, based on the downstream and upstream communication traffic information ([49]-[50]).

Consider claim 3, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 1, characterized in that wherein the queuing means limits a length of a queue for each of the terminals and discards data overflowing the queue ([74]).

Consider claim 4, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 1, characterized in that wherein:

the base station further comprises a terminal communication quality control parameter control means for periodically generating, for each of the terminals, a beacon for adjusting the communication quality control parameters for data transmission in each of the terminals, based on the downstream and upstream communication traffic information (sections [48]-[52], [56]-[58]); and

at least one of the terminals comprises (see Wentink, sections [5], [22]-[24]):

- a classification means for classifying data to be transmitted to the base station into audio data and ordinary data (see Wentink, sections [5], [22]-[24]);
- a communication quality control parameter setting means for setting communication quality control parameters respectively for the audio data and the ordinary data, the communication quality

Art Unit: 2617

control parameters being respectively and dynamically adjusted by through the beacon (see Wentink, sections [38]-[44]), , and

Page 5

a transmission and reception portion for transmitting the ordinary data and the audio data based on the communication quality control parameters at the time of transmission (see [46], [48]-[49]).

Consider claim 5, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 4, characterized in that wherein the communication quality control parameter control means and the terminal communication quality control parameter control means a of the at least one terminal control delay time and a priority of the communication quality control parameters for the audio data always to be always-shortest and highest, respectively ([51]-[53], [56]-[58]).

Consider claim 6, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 4, characterized in that wherein:

the base station further comprises a communication control means for creating an active terminal count table, which shows a transmission and reception state at each of the terminals, based on the downstream and upstream communication traffic information (sections [49], [58], [60]), and

the communication quality control parameter control means and the terminal communication quality control parameter control means control the communication quality control parameters for downstream and upstream transmission, based on the active terminal count table, such that downstream and upstream ratio in communications is are equal (sections [49], [58], [60]).

Consider claim 7, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 6, characterized in that wherein:

the base station further comprises a transmission rate coefficient table which shows predetermined transmission rate coefficients for transmission rates to equalize a transmission time in communications (sections [6], [75]-[77]); and

the transmission rate coefficients are taken into consideration when the communication quality control parameter control means and the terminal communication quality control parameter control

means control the communication quality control parameters ([75]-[77]).

Consider claim 8, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 6, characterized by further comprising a queuing weighting control means for controlling a weight-weighting in queuing performed by the queuing means, based on the downstream and upstream communication traffic information, characterized in that wherein, with response to an instruction from an upper side of the base station, the terminal communication quality control parameter control means controls the communication quality control parameter control means in a terminal by through the beacon, and the queuing weighting control means controls a weight weighting in queuing performed by the queuing means to control communication traffic to a particular terminal ([48]-[52], [56]-[58]).

Consider claim 9, (Currently Amended) Beach, as modified by Wentink, further discloses the wireless LAN communication system according to claim 4, characterized in that wherein the beacon generated by the terminal communication quality control parameter control means includes information for making a terminal which is not provided with the terminal not including a communication quality control parameter control means incapable of transmitting data for a given period of time in a beacon period ([48]-[52], [56]-[58]).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUY C. HO whose telephone number is (571)270-1108. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duc Nguyen can be reached on 571-272-7503. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available

Application/Control Number: 10/560,773 Page 7

Art Unit: 2617

through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Duc Nguyen/ Supervisory Patent Examiner, Art Unit 2617